1	Ø Q	2300420\$	SCALEXIO system	0Ł′	s&	300.00
2		2303239\$	BHZ 4	0 Ł′	s&	120.00
3		70142033	y4 ŷ 5 &	0 Ł ′	s&	300.00
4	₩	2300355S	Q ž	0 上 ′	s <u></u> g	500.00
5	6 #	2107774S	B	0 L ′	s&	250.00
6	HIL, RCP	2300463S	e\$5	0 L ′	s &	300.00
7	j	2205883S				265.57
8	9}⁄	2208861S				250.00
9	2 § P¼	2210229\$	5&	0 	s&	157. 50
10	H޵ B 1⁄4	2210225\$	Cµ Bi l/4	0Ł′	s &	500.00
11	Γ0 Δ/	2301947S	33 1/4	0 Ł′	s&	307. 14
12	30%	2301334\$	42€	0 Ł′	s&	314. 21
13	B 2/4	2300921S	6 A5	0 	s <u></u>	600.00
14	® 1/4	2300921S	6 À5	0 €′	s <u></u>	200.00
15	Н	2300397S	44 5	0 上 ′	S&	155.00
16		2300417S	2 Ġţy	0 L ′	s &	607.00
17	e5•Q	2213556S	0&5•O			270.00
18	Ï % \$	2302170S				300.00
19	₹	2302264S	₹ ®			300.00
20	. § 56À	2302198\$. 6 56À			500.00
21	9 yy & À	2302337\$	0¢Ü9 уу В			360.00
22	у ∮	2304841S				400.00
23		2300489S	78 B	k ′	s <u></u> g	22. 71

24	<u> </u>	70103304	¢¢	k ′	s <u>õ</u>	24.07
25	@\$ 7 ((v	2205096S	₽ ĭ∕∨	k'	s <u>õ</u>	154.99
26	Ğ	2209908S	m j ē	k ′	sĝ	155.00
27		2301829S) (k ′	s&	155. 56
28	6 6À	2300488S	(13)	k ′	sğ	160.00
29	4 ∂Ã&	2301830S	B 2 ∀ 8 5	<u></u> ≰′	s&	164.36
30		2301677\$	\$0.7\$	k ′	s &	175.50
31		2209911S	79 jà#	k ′	sĝ	158. 65
32	E ΦØ , 7	2209910S	⊕E35	હ ′	s&	158. 66
33	E Φ Ø, 7	2209909S	еЕ3 5	k ′	s&	158. 66
34		2214191S	\$ 5	k ′	s&	48. 58
35		2023000236	₽₽A©	k ′	s&	49. 38
36	\$	2302392S		k ′	s&	356. 57
37		2205094S	9 35	k ′	s&	360.63
38		2205093S	9 85	k ′	s&	360.63
39	4 ∂ 6 À ₽	2300593S	₫0 6À	k ′	s&	474. 75
40		2301796S	400 95	k ′	s &	1513. 93
41	F ÃA Ø	2300630\$		k ′	s&	455.63
42		2301380S				2666.66
43		2302615S				8333.33
44		2302614S	9 y § &	k ′	s&	188. 04
45		2302616S	e0 8	k ′	s %	497. 26
46	00 \$	2300469S				4000.00

47		2303393\$			600.00
48	Ñ	2201701S	Ñ		120.00
49	Ñ	2201700S	Ñ		120.00
50	Ñ	70111532	&A ÑÇ		130.00
51	Ñ	70121678	& AÑÇ		140.00